

CUSTOM
MODULAR
VARVAGE
COLORS

Life is not a straight line®

CONTENTS

Bole Custom	10
Bolefloor	12
Bolefloor technical	20
Boleform	24
Boleform LiveEdge table	24
Boledeck	30
Boledeck technical	32
Bole Custom references	38
Bole Modular	76
Curv8	80
Curv8 technical	82
Bole Modular references	88
Varvage	112
Varvage technical	118
Varvage references	124
Bole colors	130

LIFE IS NOT A STRAIGHT LINE

We strongly believe this to be a good thing. It's what makes life exciting and fun; it's where we can express our love of nature and life; it's where we can embrace and celebrate the twists and turns, the imperfections that make us who we are. At Bole, we work hard to preserve and use the curves that nature gives us, in our products, in our work, in our lives. Our name comes from the Old English word "bole", the trunk of a tree.



TORY

we started with the idea that we can
aided production methods to conserve
it of it and to keep quality up, resulting
product.

have revised our production process,
re, training our people and streamlining
ping daily in everything we do, we work
and customers to cater to different
today, a start-up no more, we are a
nted, skilled and motivated people,
our mission and unwavering in our goal
product and service experience to our
tner. We attain this by offering a full
cluding installation and maintenance,
g customer satisfaction and ensuring a
nship.





BOLEFLOOR




BOLEFORM



BOLEDECK

BOLE CUSTOM

Our signature LiveEdge floorboards,
custom-made furniture and decking

OR 

/O _IKE

Manufactured in limited editions and are made, just like a fingerprint or a retina is unique, so is Bolefloor for each project.

Color-matched per the customer's request and checked at least twice before shipping, to ensure the highest quality and a perfect match.


221812-2-1-2	221812-2-1-3	221812-2-1-4
221813-2-1-2	221813-2-1-3	221813-2-1-4
221814-2-1-2	221814-2-1-3	221814-2-1-4
221815-2-1-2	221815-2-1-3	221815-2-1-4
221816-2-1-2	221816-2-1-3	221816-2-1-4
221817-2-1-2	221817-2-1-3	221817-2-1-4
221818-2-1-2	221818-2-1-3	221818-2-1-4
221819-2-1-2	221819-2-1-3	221819-2-1-4
221820-2-1-2	221820-2-1-3	221820-2-1-4
221821-2-1-2	221821-2-1-3	221821-2-1-4
221822-2-1-2	221822-2-1-3	221822-2-1-4
221823-2-1-2	221823-2-1-3	221823-2-1-4
221824-2-1-2	221824-2-1-3	221824-2-1-4
221825-2-1-2	221825-2-1-3	221825-2-1-4
221826-2-1-2	221826-2-1-3	221826-2-1-4
221827-2-1-2	221827-2-1-3	221827-2-1-4
221828-2-1-2	221828-2-1-3	221828-2-1-4
221829-2-1-2	221829-2-1-3	221829-2-1-4
221830-2-1-2	221830-2-1-3	221830-2-1-4
221831-2-1-2	221831-2-1-3	221831-2-1-4
221832-2-1-2	221832-2-1-3	221832-2-1-4
221833-2-1-2	221833-2-1-3	221833-2-1-4
221834-2-1-2	221834-2-1-3	221834-2-1-4
221835-2-1-2	221835-2-1-3	221835-2-1-4
221836-2-1-2	221836-2-1-3	221836-2-1-4
221837-2-1-2	221837-2-1-3	221837-2-1-4
221838-2-1-2	221838-2-1-3	221838-2-1-4
221839-2-1-2	221839-2-1-3	221839-2-1-4
221840-2-1-2	221840-2-1-3	221840-2-1-4
221841-2-1-2	221841-2-1-3	221841-2-1-4
221842-2-1-2	221842-2-1-3	221842-2-1-4
221843-2-1-2	221843-2-1-3	221843-2-1-4
221844-2-1-2	221844-2-1-3	221844-2-1-4
221845-2-1-2	221845-2-1-3	221845-2-1-4
221846-2-1-2	221846-2-1-3	221846-2-1-4
221847-2-1-2	221847-2-1-3	221847-2-1-4
221848-2-1-2	221848-2-1-3	221848-2-1-4
221849-2-1-2	221849-2-1-3	221849-2-1-4
221850-2-1-2	221850-2-1-3	221850-2-1-4
221851-2-1-2	221851-2-1-3	221851-2-1-4
221852-2-1-2	221852-2-1-3	221852-2-1-4
221853-2-1-2	221853-2-1-3	221853-2-1-4
221854-2-1-2	221854-2-1-3	221854-2-1-4
221855-2-1-2	221855-2-1-3	221855-2-1-4
221856-2-1-2	221856-2-1-3	221856-2-1-4
221857-2-1-2	221857-2-1-3	221857-2-1-4
221858-2-1-2	221858-2-1-3	221858-2-1-4
221859-2-1-2	221859-2-1-3	221859-2-1-4
221860-2-1-2	221860-2-1-3	221860-2-1-4
221861-2-1-2	221861-2-1-3	221861-2-1-4
221862-2-1-2	221862-2-1-3	221862-2-1-4
221863-2-1-2	221863-2-1-3	221863-2-1-4
221864-2-1-2	221864-2-1-3	221864-2-1-4
221865-2-1-2	221865-2-1-3	221865-2-1-4
221866-2-1-2	221866-2-1-3	221866-2-1-4
221867-2-1-2	221867-2-1-3	221867-2-1-4
221868-2-1-2	221868-2-1-3	221868-2-1-4
221869-2-1-2	221869-2-1-3	221869-2-1-4
221870-2-1-2	221870-2-1-3	221870-2-1-4
221871-2-1-2	221871-2-1-3	221871-2-1-4
221872-2-1-2	221872-2-1-3	221872-2-1-4
221873-2-1-2	221873-2-1-3	221873-2-1-4
221874-2-1-2	221874-2-1-3	221874-2-1-4
221875-2-1-2	221875-2-1-3	221875-2-1-4
221876-2-1-2	221876-2-1-3	221876-2-1-4
221877-2-1-2	221877-2-1-3	221877-2-1-4
221878-2-1-2	221878-2-1-3	221878-2-1-4
221879-2-1-2	221879-2-1-3	221879-2-1-4
221880-2-1-2	221880-2-1-3	221880-2-1-4
221881-2-1-2	221881-2-1-3	221881-2-1-4
221882-2-1-2	221882-2-1-3	221882-2-1-4
221883-2-1-2	221883-2-1-3	221883-2-1-4
221884-2-1-2	221884-2-1-3	221884-2-1-4
221885-2-1-2	221885-2-1-3	221885-2-1-4
221886-2-1-2	221886-2-1-3	221886-2-1-4
221887-2-1-2	221887-2-1-3	221887-2-1-4
221888-2-1-2	221888-2-1-3	221888-2-1-4
221889-2-1-2	221889-2-1-3	221889-2-1-4
221890-2-1-2	221890-2-1-3	221890-2-1-4
221891-2-1-2	221891-2-1-3	221891-2-1-4
221892-2-1-2	221892-2-1-3	221892-2-1-4
221893-2-1-2	221893-2-1-3	221893-2-1-4
221894-2-1-2	221894-2-1-3	221894-2-1-4
221895-2-1-2	221895-2-1-3	221895-2-1-4
221896-2-1-2	221896-2-1-3	221896-2-1-4
221897-2-1-2	221897-2-1-3	221897-2-1-4
221898-2-1-2	221898-2-1-3	221898-2-1-4
221899-2-1-2	221899-2-1-3	221899-2-1-4
221900-2-1-2	221900-2-1-3	221900-2-1-4



FLOORS FOREST

World's first manufactured, naturally curved, board that follows a tree's natural growth. Our technology manages and tracks each board from its origin through final installation. Our technology preserves the natural curves of the wood, thus maximizing its value and giving a unique look to

your footprint and a natural look are achieved by manufacturing each board individually with unique, software-controlled woodworking machinery. Bolefloor's technology means conservation of natural resources and is the surface aesthetically appealing. Our innovations allow for more floors per forest.



□ Ordinary straight boards



Life is not a straight






STYLE, STYLE

the curves. Picking the right wood,
even how it looks with finish creates

numerous wood species and various
finishing this with a myriad of finishing
ideas will make your floor even



BOLEFL
IS AVAIL






Oak
Select, Natural, Rust




Ash
Select, Natural


QUALIT



RED BOLEFLOOR E17



RED BOLEFLOOR S20



Boards with 1.5 mm (0.059") bevels on the long edges and 1 mm (0.039") bevels on the short edges for natural looks. Upon request boards with 1.5 mm (0.059") bevels on long edges and 1 mm (0.039") bevels on short edges will be delivered as unfinished and ready for finishing.



Boards with 1.5 mm (0.059") bevels on long edges and 1 mm (0.039") bevels on short edges.

TECHNICAL CHARACTERISTICS

Exclusive flooring demands finishing designed to meet client. Factory finishing and development available with oil or lacquer performance.

Unfinished flooring should be installed with 150 grit paper after installation and lacquer performance.

Bolefloor is strongly recommended to be installed glued down. The flooring is re-oiled once after installation. All Bolefloor products are pre-finished using the tongue and groove.

The technical specification conforms to the requirements of the product compliance document to the EN 14342 standard.

Bole hereby confirms that the product complies with the Construction Regulation 305/2011/EU.

Thermal conductivity: 0.15-0.17 W/mK

Fire resistance class: D_{fl} - S₁-D₀

Formaldehyde emission: E1

SPECIAL ORDER

When circumstances require, Bolefloor can be produced in widths of 14 mm (0.55") and 20 mm (0.79").

Please contact us for more details regarding product and installation.





WOOD ACCENTS MATCH AND ELEMENT INTERIOR

Technology lets the natural curves of the most any surface and allows you to match, like a matching table or walls – choices, your possibilities.

For a quote and technical details.







DON'T STAY IN THE HOUSE, BRING THE HOUSE OUT TO YOUR DECK

Robinia helps you to extend your interior onto the deck surface, seamlessly bringing out what is inside your home. Robinia (1 1/2" thick decking boards. Boledeck is pre-treated at the factory to make installation easier. For maximum durability, the decking should be sealed after installation.

Robinia is a wood product highly valued for its durability and natural beauty. This is why it is becoming more and more popular in residential construction. Its naturally antibacterial properties protect the wood from parasites and insects, ensuring the boards' sturdiness. Being one of the most durable woods that do not belong to the softwood category, Robinia helps to produce Boledecks from Robinia helps to ensure your deck stays unharmed, too.

Overall thickness: 25 mm (1")


Board length: 500–2950 mm (20"–10')

Board width: ca. 100–250 mm (4"–10")


Overall weight up to: 16 kg/m² (3.28 lbs/sqft)



SUGGESTED DECK INSTALLATION TO SUBFRAME



- 1) decking board
- 2) stainless steel screw
- 3) rubber
- 4) aluminium profile
- 5) wood insert



TECHNICAL CHARACTERISTICS

Solid Robinia (Black Locust), kept in air-dry condition approximately 12–18%.

Edges: Tongue and groove connection in shorter edge without grooves with pencil round R3 mm top edge.

Finishing: Boledeck is available in 6 different color the Colors section. There is an additional choice between brushed surface.

Boledeck application: A non-repeating pattern of boards covers all areas seamlessly with every piece being unique and designed to fit perfectly with the ends of the boards are connected with S-connectors screws per connection. The short ends of the boards designed with a straight connection. As our indoor boards will be designed according to a pre-measured addition of joist position indication. The boards will be designed to match joist positions, however a 40 center-to-center step is suggested. A plan provided will ensure a simplified installation.

Installation: For better performance, screw-down strongly recommended together with our sub-connector for better durability of your beautiful Boledeck. Hider available on request.

Suggested gap between board rows: 6 mm (¼")

Ecological characteristics:

Overall weight: ca. 16 kg/m² (3.28 lbs/sqft)

Fire resistance class: D_{fl} – S1

Average dried weight: 770 kg/m³ (48 lbs/cft)

Janka hardness: 7560 N (1,700 lbf)

Natural durability against fungi: class 1–2 – very durable

Natural durability against termites: class D – durable

Please contact us for more technical details regarding decking parameters and installation options.





ART+DESIGN

ENCES

ting unique designs for both homes
aces for ten years now.

ow some of our designs have been
spiration for your own ideas.























tural oil
x-Nahem
rography









m finish

Interiors









hen

m finish



BOLE MODULAR

Bole technologies-based modular
curved flooring

OTTEN RES

rees in the world, not only the 0, 45, 90
resent the vast majority of the man-made
are with all its twists and turns, under
work very hard liberating them
of the unimaginative prison that is
ogy.

a floor system that, based on the most
om nature, brings you an exciting,
y-plan and install new pattern floor
er. Our technologies let us rescue all
es and curves to use more of the wood
floors per forest.



8

NATURE'S FIT

PAT. PEND.


Introducing Nature's Fit technology, the 8 forms most true to the way they every Curv8 floor, raw boards are of these eight forms. Curv8 modular the tree's original shape and 3 material to be utilized in an eco-friendly g pattern repetition unnoticeable. gged in individual cartons for easier



DETAILS TECHNICAL CHARACTERISTICS


12 mm (1/2") thick with a 3 mm (1/8") noble tongue and bevels on all four sides. The boards are made using the tongue and groove method. The package contains 8 boards totaling 2.8 m² (30 sqft).

RED CURV8 E12



Red Curv8 is manufactured with 0.8 mm (3/32") bevels on both the long and short edges for natural looks.

With our assistance we have developed a tool to calculate the exact amount of Curv8 modules you need for your project. Please contact our sales team for more details and further information.




CURV8 IS AVAILABLE IN




Oak
Natural, Rustic


QUALITY GRADES



Select
No sapwood or
Healthy knots
present.



Natural
Sapwood and
present, as well
and "cat paw"



Rustic
Sapwood, dark
cracks up to 2
mm (1/8")
can be present

SPECIAL ORDER

By special order, 12 mm (1/2") thick with a 3 mm (1/8") noble tongue and bevels on both the long and short edges for natural looks.

For special orders please contact our sales team to check availability and for full information.

EXPERIENCES

...ion comes from seeing great art;
...s from the little things. Here's a look
... we have done over the years.

m finish





















Cu	Zn	Cd	Ag	Au
Ge	Ga	In	Cd	Hg
Sn	Pb	Tl	Pb	Bi











VARVAGE
by BOLE

VARVAGE

Variable width and length
straight hardwood flooring


*et to the end of my life and
st the length of it. I want to
dth of it as well.*

Diane Ackerman

IS MORE E THAN JUST ENGTH

xisted a difference of opinion
nature, with compromises being a
il we start growing trees square and
ways give us floorboards of variable
. We find it unwise to fight against

al saving technologies we are able
lance between what people expect
like and what nature provides us.
ional, monotonous pattern by
ices match. The result is absolutely






DETAILS TECHNICAL CHARACTERISTICS

17 mm (0.67") thick with a 5 mm (0.2") noble bevel and has bevels on all four sides. The boards are finished with the tongue and groove method.

Available in mixed widths of 180 mm (7"), 210 mm (8.3"), and 240 mm (9.5"). Every order contains about 1/3 of each width. The lengths of Varvage are 1800 mm (70.9"), 2000 mm (78.7"), and 2400 mm (94.5"). About 70% of the order is longer than 2000 mm (78.7").

RED VARVAGE E17



8 kg/m² (2.42 lbs/sqft)

The flooring is manufactured with 1.1 mm (0.04") bevels on the long edges and 0.7 mm (0.03") bevels on the short edges for natural looks.



VARVAGE IS AVAILABLE IN




Oak
Select, Natural




Ash
Select, Natural
Available by special order


QUALITY GRADES



Select
No sapwood or knots. Healthy and "cat paw" free.



Natural
Sapwood and knots present, healthy knots allowed.



Rustic
Sapwood, dark knots, cracks up to 2 mm in width can be present.

SPECIAL ORDER

By special order Varvage is available in other colors. Please contact our sales team for more information and to check availability.



UNUSUAL SIZE UNUSUAL ACCEPTANCE

Uniqueness and individuality. Bole offers a variety of hardwood floorings, straight for commercial buildings or residences, and the Varvage series. Our technology and the expertise of our designers allow us to fulfill the vision of any of our floors match to create a sense of uniqueness throughout the house. Every floor is a homage to nature, carrying the air of the forest to soothe and to inspire.

Unlimited length and width Varvage offers endless possibilities for an endless array of applications, allowing you to take a turn without making sacrifices in originality. In our curved LiveEdge Bolefloor you'll find an astonishing floor with well-placed accents.



ENCES

ue of the brilliant designer Paul Smith,
ingly flawless combination of straight
ards tailor-made by Bole.









BOLEFLOOR



BOLEDECK

curv8
by BOLE



VARVAGE
by BOLE

COLORS

Inspired by nature and custom-made for

END OF RE AND IOLOGY

pondering, in details that
to the whole, binding an interior
rtise and high-end materials let us
nishes in a careful process through
stom-made tones and details to
needs and wishes. Using new,
ishing machinery together with the
ng and finishing materials, we are
ast array of different colors and
ou with some of the diversity we all
mbine advanced technology and
with artisanal handicraft to satisfy
tects and designers with carefully




COLORS, RED BY NATURE

process and materials allow us to develop a wide
s and effects – from the subtlest of tints to the
of flairs.

e natural beauty of some of the world's greatest
raight but always giving life to people and the
around them, we have selected some possible
et the imagination going.



VARVAGE



Khong

color code 154, brushed

As it cuts through the Sam Phan Bok rock canyons in Thailand, the mighty Khong seems to swallow the sunrise, exuding an almost golden, sandy glow.



Tungnaá

color code 142, brushed



Flowing through the crevices of the volcanic marvel that is Iceland the Tungnaá takes on a frozen, almost silver hue.




Caño Cristales
color code 155, brushed

Routinely referred to as the liquid rainbow, the Caño Cristales can produce some of the most vibrant colors in the world. The red hue, given to it by the minerals in the riverbed, almost feels like it was not created by nature.



Pedja

color code 145



This river winds through the rolling pine and spruce forests of Estonia. As quiet, subtle and natural as it gets in this beautiful part of the world.

FORMO ASH
COLORS,
INSPIRED BY
NATURE



Katherine
color code 201

Tranquil as it flows, the Katherine still carves her gorge as the surrounding sandstone cliffs lend the waters a hint of red from their ancient palette.



Selfoss

color code 202



oon seeps through the midnight clouds in the north of Iceland, its frail light easing the
inding darkness on the ground, where the roaring fall of the Selfoss knows no silence.



Uvac

color code 203

Through the rugged and rich terrain of Serbia, the Uvac meanders, imbued with the warmth of the Mediterranean sun and the crisp mountain wind.

MINIA COLORS,
PIRED BY NATURE



Gauja

color code D02

In a part of the world where the four seasons are perhaps the most pronounced flows the Gauja river. Though nature masks it with different tones with each



Radbuza
color code D03



When the sun begins to set in Western Bohemia, the Radbuza takes on a hue of refined gold, much like the world-renowned pilsner beers brewed in the region.



Betsiboka
color code D04

Distinctive for its reddish-orange waters, the Betsiboka in Madagascar is said to be bleeding
Along with its floods and rapids, the beauty of the river charms observers and adventurer



Kwando
color code D05



Due to the life force of south-central African wetlands, the Kwando disappears into marshes during dry spells, altering its appearance to a pale greenish-brown.



Chevtakan
color code D06


The landscapes of Eastern Siberia might look barren and unforgiving, yet for an eagle the vast untouched forests and the abundance of wildlife make it an oasis in an industrial



Mūša

color code D07

the grain fields of Northern Lithuania, the tranquil Mūša also delves into Southern Latvia, establishing a historical border and sealing a friendship between the two Baltic nations.



COLORS

door, Curv8 and Varvage



Bruarfoss
color code 128



Reshi
color code 117



Mera
color code 144,
brushed



Naatak
color code 124



Semuc Champey
color code 146,
brushed



Aragon
color code 147



Lena
color code 120




Pedja
color code 145



Laeva
color code 122



Khong
color code 154,
brushed



Serrano
color code 129



Caño Cristales
color code 155,
brushed



Tara
color code 121



Basgo
color code 127




Tellico
color code 152,
brushed



Godafoss
color code 150



Rio Grande
color code 149



Fraser
color code 119



Rio Dulce
color code 51,
brushed



Prut
color code 53,
brushed

of nature – each tree has its own structure and individual color combination. The colors are
tions in screen settings and printing may occur. Always check real life samples to be sure of the
or current listing of the colors.

THERMO ASH COLORS

Available for Bolefloor



Katherine
color code 201



Selfoss
color code 202



Uvac
color code 203

ROBINIA COLORS

Available for Boledeck



Gauja
color code D02



Radbuza
color code D03



Betsiboka
color code D04



Kwando
color code D05



Chevtakan
color code D06

The list is never complete; nature's diversity in colors and hues will not allow it. Ask us about individual
development to find the exact tone that suits you.

Bole International

contact@bole.eu
+372 552 7220
www.bole.eu

Bole US

contact@bole.us
+1 708 506 1102
www.bole.us

er to make things run smoother, we provide a full range of customer care services from
product installation to maintenance – contact our sales team for more information.

o ensure your Bole products do not lose their natural beauty be sure to follow the
maintenance guidelines provided or contact our sales team for further instructions.

December 2019



Life is not a straight line®

